



Liquid Armor 650

Physical and chemical properties

Physical state	: liquid
Form	: liquid
Colour	: light yellow
Dour	: Odorless
Odour Threshold	: No data available
pH	: 9
Melting point	: 20 °C
Boiling point	: > 250 °C
Flash point	: > 157 °C
Vapour pressure	: < 6.65 hPa (21 °C)
Relative density	: (Water = 1) 0.98
Viscosity, dynamic	: 2,500 mPa.s (25 °C)

Other information

Density	: 0.98 g/cm ³ (21 °C) This product does not contain any chemicals listed under the U.S. Clean Air Act
Volatile organic compounds	: Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489). This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.



Liquid Armor 650

Precautions for safe handling

- Advice on safe Handling : Use personal protective equipment. Emergency showers and eye wash stations should be readily accessible. Adhere to work practice rules established by government regulations. Avoid breathing vapors and/or aerosols. Avoid contact with eyes. Use only in well-ventilated areas.
- Hygiene measures : Provide readily accessible eye wash stations and safety showers.
- General protective : Wash hands at the end of each work shift and before eating, smoking or using the toilet.

Storage

- Information : Keep containers tightly closed in a dry, cool and well -ventilated place.

<http://www.hardshell.com/liquid-armor.php>